




Unmanned Packing, Intelligent System

Complete Processing & Packaging Line Solutions



ABOUT LION PACKING SYSTEMS

Lion Packing Systems delivers complete food processing and packaging lines. With engineering and manufacturing in Tianjin and Zhejiang, China, and a sales office in Los Angeles, USA, we provide turnkey service — from plant layout and full production lines to installation, operator training and after-sales support.

More than a machine company

Beyond equipment, we provide professional consulting for fruit cup production — helping customers move from product and process design to a running line.



CARTON SEALER



MH-FJ-1A Automatic carton sealer

Power supply	AC220V 50Hz 0.6kW
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 150mm~∞;W 120mm~480mm;H 120mm~480mm
Speed	20m/min
Table height	550mm~750mm(foot cup) 650mm~850mm(castor wheel)
Overall dimension	L1090mm×W890mm×H(750mm) table height plus 750 mm

MH-FJ-1AW Automatic carton sealer



MH-FJ-1AE Automatic carton sealer

Power supply	AC380V 50Hz 0.6kW
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 150mm~∞;W 120mm~480mm;H 120mm~480mm
Speed	20m/min
Table height	550mm~750mm(foot cup) 650mm~850mm(castor wheel)
Overall dimension	L1090mm×W890mm×H(750mm) table height plus 750 mm

MH-FJ-1AWE Automatic carton sealer



MH-FJ-1AWS Automatic carton sealer

Power supply	AC220V 50Hz 0.4kW
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm
Carton size	L 180mm~∞;W 95mm~300mm;H 70mm~480mm
Speed	20m/min
Table height	550mm~750mm(foot cup) 630mm~820mm(caster wheel)
Overall dimension	L1090mm×W693mm×H(750mm) table height plus 750 mm



MH-FJ-1D Automatic carton sealer



MH-FJ-1S Automatic carton sealer



Model	MH-FJ-1D	MH-FJ-1S
Power supply	AC220V 50Hz 0.4kW	AC220V 50Hz 0.4kW
Sealing mode	kraft paper tape, BOPP tape	kraft paper tape, BOPP tape
Tape width	48mm~72mm	48mm~72mm
Carton size	L 150mm~∞; W 180mm~620mm; H 120mm~480mm	L 150mm~∞; W 190mm~440mm; H 130mm~480mm
Speed	20m/min	20m/min
Table height	530mm~750mm(foot cup) 630mm~830mm(caster wheel)	580mm~750mm(foot cup) 680mm~880mm(caster wheel)
Overall dimension	L970mm×W890mm×H(750mm) table height plus 750 mm	L960mm×W890mm×H(750mm) table height plus 750 mm

MH-FJ-2 Pneumatic carton sealer

Power supply	AC220V 50Hz 0.6kW
Air pressure	
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 150mm~∞;W 120mm~470mm;H 120mm~450mm
Speed	20m/min
Table height	550mm~750mm(foot cup) 630mm~820mm(caster wheel)
Overall dimension	L1154mm×W890mm×H(840mm) table height plus 840 mm





MH-FJ-3A With guard automatic carton sealer

Power supply	AC220V 50Hz 0.4kW
Air pressure	
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 200~550mm;W 150~480mm;H 120~480mm
Speed	20m/min
Table height	550mm~750mm(foot cup) 630mm~820mm(castor wheel)
Overall dimension	L1650mm×W890mm×H(890mm) table height plus 890 mm



MH-FJ-3AE With guard automatic carton sealer

Power supply	AC380V 50Hz 0.4kW
Air pressure	
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 200~550mm;W 150~480mm;H 120~480mm
Speed	20m/min
Table height	550mm~750mm(foot cup) 650mm~800mm(castor wheel)
Overall dimension	L1650mm×W890mm×H(890mm) table height plus 890 mm




MH-FJ-3AR With guard automatic carton sealer

Power supply	AC380V 50Hz 0.6kW
Air pressure	
Sealing mode	kraft paper tape, BOPP tape or Hot melt adhesive
Tape width	48mm~72mm
Carton size	L 200~500mm;W 150~480mm;H 120~480mm
Speed	≤45 cases/min
Overall dimension	L2100mm×W900mm×H(1000mm) table height plus 1000 mm



MH-FJ-3B With guard automatic carton sealer

Power supply	AC380V 50Hz 1.2kW
Air pressure	0.5 MPa~0.6 MPa
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 250~500mm;W 200~450mm;H 150~450mm
Speed	27m/min
Table height	550mm~750mm(foot cup)
Overall dimension	L2200mm×W1100mm×H(1400mm) table height plus 1400 mm




MH-FJ-3D Automatic carton sealer

Power supply	AC380V 50Hz 1.37kW
Air pressure	0.4 MPa~0.6 MPa
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 300~1400mm;W 180~480mm H 160~480mm(Customized)
Speed	22m/min
Table height	550mm~750mm(foot cup) 630mm~820mm(caster wheel)
Overall dimension	L2500mm×W990mm×H(1100mm) table height plus 1100 mm

MH-FJ-P1(ZP1) Corner-type automatic carton sealer

Power supply	AC220V 50Hz 1.0kW
Air pressure	0.4 MPa~0.6 MPa
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 340~670mm; W 200~480mm; H 200~500mm (L 340~670mm; W 200~450mm; H 200~450mm)
Speed	20m/min
Table height	600mm~750mm(Customized)
Overall dimension	L2200mm×W1240mm×H(L2300mm×W1240mm×H) table height plus 800 mm (800mm)



LP-501AW Automatic carton sealer

Power supply	AC220V 50Hz 0.4kW
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 150mm~∞;W 120mm~480mm;H 120mm~480mm
Speed	20m/min
Table height	610mm~750mm(foot cup) 700mm~820mm(caster wheel)
Overall dimension	L1090mm×W890mm×H(800mm) table height plus 800 mm





LP-501D Automatic carton sealer

Power supply	AC220V 50Hz 0.4kW
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 150mm~∞;W 180mm~550mm;H 120mm~480mm
Speed	20m/min
Table height	610mm~750mm(foot cup) 700mm~820mm(caster wheel)
Overall dimension	L970mm×W890mm×H(750mm) table height plus 750 mm

LP-501X Automatic carton sealer

Power supply	AC220V 50Hz 0.4kW
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 150mm~∞;W 180mm~480mm;H 120mm~480mm
Speed	22m/min
Table height	550mm~750mm(foot cup) 660mm~800mm(caster wheel)
Overall dimension	L1140mm×W1010mm×H(820mm) table height plus 820 mm




LP-502 Automatic carton sealer

Power supply	AC220V 50Hz 0.4kW
Air pressure	0.4 MPa~0.6 MPa
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 150~∞mm;W 120~480mm;H 130~480mm
Speed	20m/min
Table height	600mm~750mm(foot cup) 700mm~820mm(caster wheel)
Overall dimension	L1154mm×W920mm×H(750mm) table height plus 750 mm


LP-502D Automatic carton sealer

Power supply	AC220V 50Hz 0.4kW
Air pressure	0.4 MPa~0.6 MPa
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 150~∞mm;W 180~550mm;H 180~600mm
Speed	22m/min
Table height	550mm~750mm(foot cup) 630mm~800mm(caster wheel)
Overall dimension	L1970mm×W910mm×H(880mm) table height plus 880 mm



LP-601AW Automatic carton sealer

Power supply	AC220V 50Hz 0.4kW
Air pressure	0.4 MPa~0.6 MPa
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~72mm
Carton size	L 200~500mm;W 150~400mm;H 120~450mm
Speed	22m/min
Table height	600mm~750mm(foot cup) 730mm~850mm(caster wheel)
Overall dimension	L1765mm×W890mm×H(700mm)



MD
Mini carton sealer



MAX
Mini carton sealer

MA Mini carton sealer

Power supply	AC220V 50Hz 0.4kW
Sealing mode	kraft paper tape, BOPP tape
Tape width	48mm~60mm
Carton size	L 150mm~∞;W 120mm~490mm H 120mm~490mm
Speed	22m/min
Table height	600mm~700mm(foot cup) 720mm~750mm(caster wheel)
Overall dimension	L800mm×W920mm×H H(according to sealing Height)



Lion Packing Systems

Engineering & Manufacturing	Tianjin & Zhejiang, China
Sales Office	Los Angeles, California, USA
Tel	+1 314 250-8276
Web	lionpackingsystems.com
Email	sales@lionpackingsystems.com

Turnkey Service

- Plant layout design
- Complete processing & packaging lines
- Packing & packaging material supply
- Installation, commissioning & operator training
- After-sales service & spare parts

Lines Running In

China • Thailand • Mexico • Peru