




Unmanned Packing, Intelligent System

Complete Processing & Packaging Line Solutions



ABOUT LION PACKING SYSTEMS

Lion Packing Systems delivers complete food processing and packaging lines. With engineering and manufacturing in Tianjin and Zhejiang, China, and a sales office in Los Angeles, USA, we provide turnkey service — from plant layout and full production lines to installation, operator training and after-sales support.

More than a machine company

Beyond equipment, we provide professional consulting for fruit cup production — helping customers move from product and process design to a running line.



CARTONING MACHINE



YCZ-125B

Automatic Cartoning Machine(for Blisters)

Total Power	3P AC380V 50Hz 1.5kW
Air Pressure	0.3-0.5 MPa
Air Consumption	20-30L/min
Machine Dimension	L 1850mm×W 1000mm×H 1650mm
Production capacity	30-100 boxes/min(depends on the actual material)
Size of box	L(65-125)mm×W(30-83)mm×H(20-53) or (10-43)mm
Sealing type	Cartoning Folding or Nordson Gluing



YCZ-125G

Automatic Cartoning Machine(with In-feed Baffle)

Total Power	3P AC380V 50Hz 1.5kW
Air Pressure	0.3-0.5 MPa
Air Consumption	20-30L/min
Machine Dimension	L3000mm×W1000mm×H 1650mm
Production capacity	30-85 boxes/min(depends on the actual material)
Size of box	L(120-165)or(65-125)or(48-65)mm× W(30-83)×H(20-53)or(10-43)mm



YCZ-125K

Automatic Cartoning Machine (for Injection Medicines)

Total Power	3P AC380V 50Hz 1.5kW
Air Pressure	0.3-0.5 MPa
Air Consumption	20-30L/min
Machine Dimension	L1850mm×W1000mm×H1650mm
Production capacity	30-85 boxes/min(depends on the actual material)
Size of box	L(120-165)mm×W(30-83)mm× H(20-53) (13-43)mm



YCZ-125P


Automatic Cartoning Machine(for Bottles)

Total Power	3P AC380V 50Hz 1.5kW
Air Pressure	0.3-0.5 MPa
Air Consumption	20-30L/min
Machine Dimension	L 2850mm×W 1000mm×H 1650mm
Production capacity	30-100 boxes/min(depends on the actual material)
Size of box	L(65-125)mm×W(30-83)mm×H(20-53)mm

YCZ-130

Full Automatic Cartoning Machine

Total Power	3P AC380V 50Hz 1.5kW
Air Pressure	0.3-0.5 MPa
Air Consumption	20-30L/min
Machine Dimension	L2165mm×W1200mm×H 1650mm
Production capacity	30-130 boxes/min(depends on the actual material)
Sealing type	Cartoning Folding or Nordson Gluing



YCZ-150 Full Automatic Cartoning Machine

Total Power	3P AC380V 50Hz 8.5kW
Air Pressure	0.3-0.6 MPa
Air Consumption	15-20L/min
Machine Dimension	L4200mm×W1250mm×H1800mm
Production capacity	50-150 boxes/min(depends on the actual material)
Sealing type	Cartoning Folding or Nordson Gluing



YCZ-120S Automatic Cartoning Machine

Total Power	3P AC380V 50Hz 7kW
Air Pressure	0.3-0.6 MPa
Air Consumption	5-8L/min
Machine Dimension	L4500mm×W1300mm×H1750mm
Production capacity	30-100 boxes/min(depends on the actual material)
Sealing type	Nordson Gluing
Feeding mode	Straight line



YCZ-200 Full Automatic Cartoning Machine

Total Power	3P AC380V 50Hz 10.5kW
Air Pressure	0.3-0.6 MPa
Air Consumption	5-8L/min
Machine Dimension	L4500mm×W1450mm×H1700mm
Production capacity	100-180 boxes/min(depends on the actual material)
Sealing type	Cartoning Folding or Nordson Gluing



YCZ-300 Full Automatic Cartoning Machine

Total Power	3P AC380V 50Hz 15.5kW
Air Pressure	0.3-0.6 MPa
Air Consumption	15-20L/min
Machine Dimension	L4500mm×W1450mm×H1800mm
Production capacity	200-260 boxes/min(depends on the actual material)
Sealing type	Cartoning Folding or Nordson Gluing





YCK-400 Automatic Film Banding Machine

Total Power	AC220V 50Hz 2.0kW
Air Pressure	0.3-0.6 MPa
Air Consumption	5-8L/min
Machine Dimension	L 2400mm×W 980mm×H 1780mm
Pack format	1×5 1×10 2×5
Production capacity	15-20 bags/min(depends on the actual material)
Max Pack size	L160mm×W120mm×H300mm
Specification of box	L(80-160)mm×W(30-120)mm×H(15-50)mm,(250-350)g/m ²

YCK-200 Automatic Film Banding Machine



BZTZ-40 Cellophane Wrapping Machine

Total Power	AC220V/380V 50Hz 4.0kW
Air Pressure	0.4-0.6 MPa
Machine Dimension	L 2100mm×W 820mm×H 1700mm
Pack size range	Lmm×Wmm×Hmm
Production capacity	20-30 bags/min
Specification of Roll film	Inner dia.Φ75mm, outer dia.Φ300mm, width≤430mm (depends on the actual material)
Material of Roll film	PVC BOPP , 100-160°C PVC or BOPP(two-side heat sealable),Temperature of Heat sealing100-160°C

BZTZ-80 Cellophane Wrapping Machine





Lion Packing Systems

Engineering & Manufacturing	Tianjin & Zhejiang, China
Sales Office	Los Angeles, California, USA
Tel	+1 314 250-8276
Web	lionpackingsystems.com
Email	sales@lionpackingsystems.com

Turnkey Service

- Plant layout design
- Complete processing & packaging lines
- Packing & packaging material supply
- Installation, commissioning & operator training
- After-sales service & spare parts

Lines Running In

China • Thailand • Mexico • Peru