




Complete Processing & Packaging Line Solutions



ABOUT LION PACKING SYSTEMS


Lion Packing Systems delivers complete food processing and packaging lines. With engineering and manufacturing in Tianjin and Zhejiang, China, and a sales office in Los Angeles, USA, we provide turnkey service — from plant layout and full production lines to installation, operator training and after-sales support.

More than a machine company

Beyond equipment, we provide professional consulting for fruit cup production — helping customers move from product and process design to a running line.




PALLETIZER & DEPALLETIZER MACHINE




LP-MD-60T

Power	380V 50Hz 25kW
Air pressure	5.5kgf/cm ²
Air consumption	6m ³ /h
Speed	36000 bottles/hour
Efficiency	≥95%
Bottle breakage rate	≤0.1‰




LP- R470-MD80T Robot servo grouping

Power supply	3P AC380V 50Hz
Power	20kw+44.3kw(robot)
Air pressure	0.4-0.6 MPa
Speed	6 Layers/min
Air consumption	550L/min
Application	cartons, film packages, plastic boxes




LP-R470-MD80


Power supply	3P AC380V 50Hz
Power	27kw+26.9kw(robot)
Air pressure	0.4-0.6 MPa
Speed	5 Layers/min
Air consumption	500L/min
Application	cartons, film packages, plastic boxes



LP- R470-MD70- I

Power supply	3P AC380V 50Hz
Power	16.5kw+26.9kw(robot)
Air pressure	0.4-0.6 MPa
Speed	4.5 Layers/min
Air consumption	400L/min
Application	cartons, film packages, plastic boxes, division plate is optional





LP-R470-MD70-II

Power supply 3P AC380V 50Hz


Power 16.5kW+26.9kW(robot)

Air pressure 0.4-0.6 MPa

Speed 4.5 Layers/min

Air consumption 400L/min

Application cartons, film packages, plastic boxes



LP-R470-MD45

Power supply 3P AC380V 50Hz


Power 16.5kW+26.9kW(robot)

Air pressure 0.4-0.6 MPa

Speed 3 Layers/min

Air consumption 400L/min

Application cartons, film packages, plastic boxes



LP-R180-MD-I

Power supply 3P AC380V 50Hz

Power 1.2kW+11kW(robot)

Air pressure 0.4-0.6 MPa



Speed 6-8 times/min

Air consumption 100L/min

Application cartons, Grasp customization according to product


LP-XPD-36 Median bottle depalletizer

Power supply	380V±5% 50Hz 21.47kW
Air pressure	0.5-0.6 MPa
Air consumption	500L/min
Speed	50000 bottles/hour
Main machine dimension	L3480×W2430×H4980mm
Main machine weight	8000kg
Bottle outlet height	1600mm(Customized)



LP-XPG-50 High-position bottle depalletizer

Power supply	380V±5% 50Hz 28.85kW
Air pressure	0.5-0.6 MPa
Air consumption	500L/min
Speed	50000 bottles/hour
Main machine dimension	L2920×W2620×H4500mm
Main machine weight	5000kg
Bottle outlet height	3500mm(Customized)



LP-XPGG-50 Super high-position bottle depalletizer

Power supply	380V±5% 50Hz 25.9kW
Air pressure	0.5-0.6 MPa
Air consumption	500L/min
Speed	48000 bottles/hour
Main machine dimension	L4150×W2280×H5000mm H according to the height of the bottle outlet
Main machine weight	10000kg
Bottle outlet height	Customized



Lion Packing Systems

Engineering & Manufacturing	Tianjin & Zhejiang, China
Sales Office	Los Angeles, California, USA
Tel	+1 314 250-8276
Web	lionpackingsystems.com
Email	sales@lionpackingsystems.com

Turnkey Service

- Plant layout design
- Complete processing & packaging lines
- Packing & packaging material supply
- Installation, commissioning & operator training
- After-sales service & spare parts

Lines Running In

China • Thailand • Mexico • Peru